

# The 8 Item Morisky Medication Adherence Scale Validation

Review of the four item Morisky Medication Adherence Scale ...  
 The eight-item Morisky Medication Adherence Scale MMAS ...  
 The 8-item Morisky Medication Adherence Scale: validation ...  
 MORISKY MEDICATION ADHERENCE SCALE - Morisky Scale  
 Revisiting the internal consistency and factorial validity ...  
 The Morisky Medication Adherence Scale: An Overview  
 Association between the 8-item Morisky medication ...  
 Morisky Medication Adherence Scale-8 | RehabMeasures Database  
 Criterion validity of 8-item Morisky Medication Adherence ...  
 Validation of the Persian Version of the 8-Item Morisky ...  
 Association between the 8-item Morisky Medication ...  
 The 8-item Morisky Medication Adherence Scale translated ...  
 (PDF) The eight-item Morisky Medication Adherence Scale ...  
 Validation of the 8-Item Morisky Medication Adherence ...  
 MMAS-4 & MMAS-8 - The Morisky Scales - MORISKY MEDICATION ...  
 The 8-item Morisky Medication Adherence Scale translated ...  
 Abstract 558: The eight-item Morisky Medication Adherence ...  
 The 8 Item Morisky Medication  
 (PDF) The 8-item Morisky Medication Adherence Scale ...

*The 8 Item Morisky Medication Adherence Scale Validation*

Downloaded from <ftp.wtvq.com> by guest

## ELLIANA JAYLIN

Review of the four item Morisky Medication Adherence Scale ...  
 The 8 Item Morisky Medication The Morisky Medication Adherence Scale, which started out as a four-item questionnaire, has since been expanded into a structured eight-question survey. While the four-item version (MMAS-4) includes elements of forgetfulness and symptom severity, the eight-question version (MMAS-8) delves into other situational and emotional aspects of medication adherence. The Morisky Medication Adherence Scale: An Overview The 8-item Morisky Medication Adherence Scale translated in German and validated against objective and subjective polypharmacy adherence measures in cardiovascular patients. Journal of Evaluation Practice, 21, 271-277. Morisky Medication Adherence Scale-8 | RehabMeasures Database The eight-item Morisky Medication Adherence Scale MMAS: Translation and validation of the Malaysian version (PDF) The eight-item Morisky Medication Adherence Scale ... Recently, an eight-item self-reported scale has been developed by Morisky et al. and called the Morisky Medication Adherence Scale (MMAS). Because of the wide use of the scale as a medication adherence measurement tool, we were interested in translating the MMAS and documenting some of its psychometric properties in Malaysian people with type 2 DM. The eight-item Morisky Medication Adherence Scale MMAS ... To translate in German the 8-item Morisky Medication Adherence Scale (MMAS-8D). To validate it against objective and subjective measures of adherence in cardiovascular patients with polypharmacy. A standard forward-backward procedure was used to (PDF) The 8-item Morisky Medication Adherence Scale ... Warning: Unauthorized versions of the Morisky Scales found on other websites may contain serious errors and must not be used. Permission to use is granted by obtaining a license from Dr. Morisky. The Morisky Scale, otherwise known as the MMAS-4 or MMAS-8, has proved to be valuable diagnostic tools to address medication non-adherence. MMAS-4 & MMAS-8 - The Morisky Scales - MORISKY MEDICATION ... The reliability and validity of the 8-item Morisky Medication Adherence Scale (MMAS-8) was

assessed in a sample of Iranian hypertensive patients. In this multi-center study which lasted from August to October 2014, a total of 200 patients who were suffering from hypertension (HTN) and were taking anti-hypertensive medication(s) were included. Validation of the Persian Version of the 8-Item Morisky ... 8-item MMAS in Greece, in patients with various chronic disorders. Thus the aim of this study was to validate a Greek translation of the structured self-report 8-item Morisky Medication Adherence Scale (MMAS -8) and determine its psychometric properties in patients with chronic illnesses. In addition, to measure adherence and ex-validation of the 8-Item Morisky Medication Adherence ... The 8-item Morisky Medication Adherence Scale translated in German and validated against objective and subjective polypharmacy adherence measures in cardiovascular patients J Eval Clin Pract. 2015 Apr;21(2):271-7. doi: 10.1111/jep.12303. The 8-item Morisky Medication Adherence Scale translated ... 1993 - 1997 - Creation of the MMAS-8: Morisky Medication Adherence Scale MMAS-8 was developed on an NIH research grant where I was an external consultant at the Marin Luther King Drew Medical Center in Los Angeles. A great deal of effort has been put into the development of the MMAS-8 relative to medication taking behavior questions. MORISKY MEDICATION ADHERENCE SCALE - Morisky Scale The eight-item Morisky Medication Adherence Scale (MMAS-8) is frequently used for measuring drug adherence, yet the association between MMAS-8 score and glycaemic control among diabetes patients has not been addressed. Abstract 558: The eight-item Morisky Medication Adherence ... Arsène Zongo, Line Guénette, Jocelyne Moisan, Laurence Guillaumie, Sophie Lauzier, Jean-Pierre Grégoire, Revisiting the internal consistency and factorial validity of the 8-item Morisky Medication Adherence Scale, SAGE Open Medicine, 10.1177/2050312116674850, 4, (205031211667485), (2016). The 8-item Morisky Medication Adherence Scale translated ... The 8-item Morisky Medication Adherence Scale (MMAS-8) is reliable and valid in patients with hypertension, but to our knowledge validity has not been established for patients with asthma. The aim of the study was to determine the criterion validity of the MMAS-8 in patients with asthma. In the cross-sectional study patients older than 12 year were recruited when dispensed

asthma medications ...Criterion validity of 8-item Morisky Medication Adherence ...Background: Non-adherence to treatment is an important and often unrecognized risk factor that contributes to reduced control of blood pressure (BP). Objective: To determine the association between treatment adherence measured by a validated version in Portuguese of the 8-item Morisky Medication Adherence Scale (MMAS-8) and BP control in hypertensive outpatients. Association between the 8-item Morisky Medication ...studies and clinical settings. In 2008, a modified eight item Morisky Medication Adherence Scale (MMAS-8) developed from the original four item Morisky scale was published.<sup>8</sup> The first seven items are dichotomous response categories with yes or no and the last item was a five point Likert response. Review of the four item Morisky Medication Adherence Scale ...The 8-item Morisky Medication Adherence Scale (MMAS-8) has been frequently used, yet the association between MMAS-8 score and glycaemic control among Chinese diabetes patients is largely unknown. Association between the 8-item Morisky medication ...OBJECTIVE: To translate and examine the psychometric properties of the Portuguese version of the structured self-report eight-item Morisky Medication Adherence Scale among patients with hypertension. METHODS: The study was designed as a cross-sectional survey conducted in six Family Health Units of the Brazilian Unified Health System, in Maceió, between March 2011 and April 2012. The 8-item Morisky Medication Adherence Scale: validation ...The 8-item Morisky Medication Adherence Scale translated in German and validated against objective and subjective polypharmacy adherence measures in cardiovascular patients. *J Eval Clin Pract* 2015; 21 (2): 271-277. Revisiting the internal consistency and factorial validity ...The eight-item Morisky Medication Adherence Scale (MMAS-8) is a structured self-report measure of medication-taking behavior that has been widely used in various cultures. The 8-item Morisky Medication Adherence Scale (MMAS-8) has been frequently used, yet the association between MMAS-8 score and glycaemic control among Chinese diabetes patients is largely unknown.

### **The eight-item Morisky Medication Adherence Scale MMAS ...**

The reliability and validity of the 8-item Morisky Medication Adherence Scale (MMAS-8) was assessed in a sample of Iranian hypertensive patients. In this multi-center study which lasted from August to October 2014, a total of 200 patients who were suffering from hypertension (HTN) and were taking anti-hypertensive medication(s) were included.

*The 8-item Morisky Medication Adherence Scale: validation ...*

Warning: Unauthorized versions of the Morisky Scales found on other websites may contain serious errors and must not be used. Permission to use is granted by obtaining a license from Dr. Morisky. The Morisky Scale, otherwise known as the MMAS-4 or MMAS-8, has proved to be valuable diagnostic tools to address medication non-adherence.

*MORISKY MEDICATION ADHERENCE SCALE - Morisky Scale*

The Morisky Medication Adherence Scale, which started out as a four-item questionnaire, has since been expanded into a structured eight-question survey. While the four-item version (MMAS-4) includes elements of forgetfulness and symptom severity, the eight-question version (MMAS-8) delves into other situational and emotional aspects of medication adherence.

*Revisiting the internal consistency and factorial validity ...*

Arsène Zongo, Line Guénette, Jocelyne Moisan, Laurence Guillaumie, Sophie Lauzier, Jean-Pierre Grégoire, Revisiting the internal consistency and factorial validity of the 8-item Morisky Medication Adherence Scale, *SAGE Open Medicine*, 10.1177/2050312116674850, 4, (205031211667485), (2016).

Background: Non-adherence to treatment is an important and often unrecognized risk factor that contributes to reduced control of blood pressure (BP). Objective: To determine the association between treatment adherence measured by a validated version in Portuguese of the 8-item Morisky Medication Adherence Scale (MMAS-8) and BP control in hypertensive outpatients.

### **The Morisky Medication Adherence Scale: An Overview**

8-item MMAS in Greece, in patients with various chronic disorders. Thus the aim of this study was to validate a Greek translation of the structured self-report 8-item Morisky Medication Adherence Scale (MMAS-8) and de-terminine its psych ometric properties in patients with chronic illnesses. In addition, to measure adherence and ex-

*Association between the 8-item Morisky medication ...*

The eight-item Morisky Medication Adherence Scale (MMAS-8) is a structured self-report measure of medication-taking behavior that has been widely used in various cultures.

### **Morisky Medication Adherence Scale-8 | RehabMeasures Database**

Recently, an eight-item self-reported scale has been developed by Morisky et al. and called the Morisky Medication Adherence Scale (MMAS) . Because of the wide use of the scale as a medication adherence measurement tool, we were interested in translating the MMAS and documenting some of its psychometric properties in Malaysian people with type 2 DM.

### **Criterion validity of 8-item Morisky Medication Adherence ...**

OBJECTIVE: To translate and examine the psychometric properties of the Portuguese version of the structured self-report eight-item Morisky Medication Adherence Scale among patients with hypertension. METHODS: The study was designed as a cross-sectional survey conducted in six Family Health Units of the Brazilian Unified Health System, in Maceió, between March 2011 and April 2012.

*Validation of the Persian Version of the 8-Item Morisky ...*

The 8-item Morisky Medication Adherence Scale translated in German and validated against objective and subjective polypharmacy adherence measures in cardiovascular patients. *J Eval Clin Pract* 2015; 21 (2): 271-277.

### **Association between the 8-item Morisky Medication ...**

The 8-item Morisky Medication Adherence Scale translated in German and validated against objective and subjective polypharmacy adherence measures in cardiovascular patients. *Journal of Evaluation Practice*, 21 , 271-277.

*The 8-item Morisky Medication Adherence Scale translated ...*

The 8-item Morisky Medication Adherence Scale (MMAS-8) is reliable and valid in patients with hypertension, but to our knowledge validity has not been established for patients with asthma. The aim of the study was to determine the criterion validity of the MMAS-8 in patients with asthma. In the cross-sectional study patients older than 12 year were recruited when dispensed asthma medications ...

*(PDF) The eight-item Morisky Medication Adherence Scale ...*

The 8 Item Morisky Medication

*Validation of the 8-Item Morisky Medication Adherence ...*

To translate in German the 8-item Morisky Medication Adherence Scale (MMAS-8D). To validate it against objective and subjective measures of adherence in cardiovascular patients with polypharmacy. A standard forward-backward procedure was used to

*MMAS-4 & MMAS-8 - The Morisky Scales - MORISKY MEDICATION ...*

The eight-item Morisky Medication Adherence Scale (MMAS-8) is frequently used for measuring drug adherence, yet the association between MMAS-8 score and glycaemic control among

diabetes patients has not been addressed.

**The 8-item Morisky Medication Adherence Scale translated ...**

studies and clinical settings. In 2008, a modified eight item Morisky Medication Adherence Scale (MMAS-8) developed from the original four item Morisky scale was published.<sup>8</sup> The first seven items are dichotomous response categories with yes or no and the last item was a five point Likert response.

**Abstract 558: The eight-item Morisky Medication Adherence ...**

The 8-item Morisky Medication Adherence Scale translated in German and validated against objective and subjective

polypharmacy adherence measures in cardiovascular patients J Eval Clin Pract . 2015 Apr;21(2):271-7. doi: 10.1111/jep.12303.

**The 8 Item Morisky Medication**

1993 - 1997 - Creation of the MMAS-8: Morisky Medication Adherence Scale MMAS-8 was developed on an NIH research grant where I was an external consultant at the Marin Luther King Drew Medical Center in Los Angeles. A great deal of effort has been put into the development of the MMAS-8 relative to medication taking behavior questions.

**(PDF) The 8-item Morisky Medication Adherence Scale ...**

The eight-item Morisky Medication Adherence Scale MMAS: Translation and validation of the Malaysian version